

AT A GLANCE

Semi-Annual HIV/AIDS, STD, and Hepatitis B & C Data;
January 1, 2013 – December 31, 2013

Indiana HIV/AIDS Cases	HIV at First Diagnosis	AIDS at First Diagnosis	
New Reports for 12/31/2013*	364	90	
	Total Persons Living with HIV (without an AIDS diagnosis)	Total Persons Living with AIDS	
Prevalence as of 12/31/2013**	5,104	5,983	
Indiana STD Cases	Primary/Secondary Syphilis	Gonorrhea	Chlamydia
1/1/12 – 12/31/12***	224	7,338	29,505
Indiana Hepatitis B & C Cases	Hepatitis B 1/01/12 – 12/31/12	Hepatitis C *** 1/01/12 – 12/31/12	
	88	5,758	

* New Reports are broken into 2 categories: HIV at First Diagnosis represents all new reports as being diagnosed first with HIV; AIDS at First Diagnosis represents all new reports as being diagnosed first with AIDS.

** Prevalence is the number of people who are 'Living' in Indiana with HIV/AIDS, including those diagnosed in other states but living in Indiana.

*** Suspected, probable, and confirmed cases based on case investigation submission.

Information Update

IC-16-41-6-1 - HIV testing (revised July 1, 2012). Allows a physician or physician's authorized representative to test an individual for HIV if certain conditions are met unless the individual to be tested refuses the test. (Previous law prohibited a physician from performing the test without the oral or written consent of the individual.)

Requires a refusal by an individual to be documented in the individual's medical record. Requires the physician or authorized representative to: (1) discuss with the patient the availability of counseling concerning the test results; (2) notify the patient of the test results; and (3) inform a patient with a test result indicating that the patient is HIV infected of treatment and referral options available to the patient. Provides that under certain circumstances, a physician may order an HIV test for a patient without informing the patient or despite the individual's refusal of the test.

New Perinatal Exposure Case Report Form for Babies Born to HIV Positive Mothers

(Take a look at the Perinatal HIV Transmission section of this report for further details.)

The reporting of each HIV/AIDS case is required by Indiana law (IC 16-41-2-1). Patients that are diagnosed in another state and are in Indiana must also be reported in Indiana. All infants born to an HIV+ mother are to be reported, even though their final HIV status is not known until later. It is also important to remember that when a patient progresses from HIV infection stage to a diagnosis of AIDS, this must be reported separately. As a result of the progression to AIDS they are no longer considered to be a HIV case but are now considered to be an AIDS case. To assist with more accurately defining the impact of HIV and AIDS on Indiana, deaths of those with HIV should also be reported. For assistance, questions, or case report forms and information, please call 1-800-376-2501.

Technical Notes

Some adolescent AIDS cases have pediatric risk factors because they were less than 13 years old when infected. The Centers for Disease Control and Prevention Annual HIV/AIDS Surveillance Report can be found at: <http://www.cdc.gov/hiv/stats.htm>.

Newly Reported Indiana HIV Cases and AIDS Cases by Mode of Transmission, Reported January 1, 2013 – December 31, 2013

Mode of Transmission (Risk Factors)	HIV at First Diagnosis		AIDS at First Diagnosis	
	Count	%	Count	%
Men who have sex with men (MSM)	187	51%	21	23%
Injection Drug User (IDU)	4	1%	2	2%
MSM & IDU	6	2%	1	1%
Heterosexual	63	17%	24	27%
Mother diagnosed HIV+ or AIDS	1	1%	0	0%
Other (Pediatric Transfusion, IDU Heterosexual, MSM Heterosexual and Adult Transfusion/Hemophilia etc.)	33	9%	14	16%
Not Identified at This Time and/or No Reported Risk	70	19%	28	31%
Total	364	100%	90	100%

Newly Reported Indiana HIV Cases and AIDS Cases by Age at Diagnosis, Reported January 1, 2013 – December 31, 2013

Age at Diagnosis	HIV at First Diagnosis		AIDS at First Diagnosis	
	Count	%	Count	%
<5	1	0%	0	0
5-12	0	0%	0	0
13-19	24	7%	2	2%
20-29	170	47%	22	24%
30-39	89	24%	17	19%
40-49	51	14%	24	27%
50+	29	8%	25	28%
Unknown	0	0%	0	0
Total	364	100%	90	100%

Newly Reported Indiana HIV Cases and AIDS Cases by Race/Ethnicity and Gender, Reported January 1, 2013 – December 31, 2013

Race/Ethnicity	HIV at First Diagnosis				AIDS at First Diagnosis			
	Male	%	Female	%	Male	%	Female	%
White	119	39%	20	34%	29	44%	2	8%
Black	141	46%	35	59%	26	39%	16	67%
Hispanic, all races	32	11%	2	3.5%	7	11%	3	13%
Other	13	4%	2	3.5%	4	6%	3	12%
Total	305	100%	59	100%	66	100%	24	100
Gender	84%		16%		73%		27%	