

ORIGINAL



**STATE OF INDIANA
INDIANA UTILITY REGULATORY COMMISSION**

**IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)**

APPROVED: JAN 22 2014

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.


Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

ATTERHOLT, MAYS AND ZIEGNER CONCUR:

APPROVED: JAN 22 2014

I hereby certify that the above is a true and correct copy of the Order as approved.


Brenda A. Howe
Secretary to the Commission

PSD Case Index for Conference on January 22, 2014
(Date of Advisory Committee Meeting: October 22, 2013)

<u>Case No.</u>	<u>Respondent</u>	<u>Case No.</u>	<u>Respondent</u>
3514	Rieth-Riley	4826	Bailey Construction and Rentals
4092	Asplundh Construction	4838	Maurer Well and Pump Svc.
4202	Bill Risner Jr.	4850	NIPSCO Electric
4312	Hi Speed Utility	4860	Miller Pipeline
4316	Hi Speed Utility	4921	KA Miner Excavating Inc.
4425	Remus Farms	4950	Davis H. Elliott Electric Contractor
4427	Beechy's Backhoe & Doer Service, LLC		
4429	B&D Construction		
4430	D&D Fencing		
4432	JJ Parent Company		
4468	Dragonfly Renovation		
4499	M&C Excavating		
4505	Brad Roy		
4506	Jason Olson		
4512	A.P.I. Construction (Land Inc.)		
4515	Thomas Hagen		
4519	Xtreme Contractors		
4525	Pokagon State Park		
4531	Vectren Excavating		
4539	Robert Henry Corporation		
4540	Ridge Petroleum Contractors		
4542	Felix Bernal		
4553	Star Excavating		
4581	D and D Maintenance		
4586	Mel Graber Excavating		
4599	Metzlers Mr. Plumber		
4611	B and W Drilling		
4614	Superior Construction		
4620	QC Communications, Inc.		
4638	QC Communications, Inc.		
4644	Alternative Trenching, Inc.		
4657	Gatlin Plumbing Inc.		
4664	Dan Cristiani Excavating		
4672	Cisco Brummett		
4675	Jeanne Reed		
4678	Rex Construction		
4681	TLC Plumbing		
4684	Eby Construction		
4701	Whitley County Highway Department		
4728	Hambrock Electric		
4730	Everdry Waterproofing		
4737	Gariup Construction Co. Inc.		
4754	All Bore, Inc.		
4770	Fritcha Construction Company Inc.		
4794	Affordable Sprinklers LLC		
4804	Beer and Flabaugh Excavating		
4812	Affordable Sewer Service LLC		
4824	Allen Irrigation Company Inc.		

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rieth-Riley**
Other Party: **Vectren**
Case No.: **3514**
Date of Advisory Meeting: **February 25, 2013**

Statutes Allegedly Violated:
IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment

Violation No Violation

Recommended Penalty: Training (second)

Additional Information: Slagle abstains.

APPROVED: B.S.W.
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Asplundh Construction**
Other Party: **NIPSCO**
Case No.: **4092**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **November 1, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(3)(a) - failure to notify of unmarked facility

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

within 30-day window of
taking training

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Committee Recommendation to IURC

Respondent: **Bill Risner Jr.**
Other Party: **Rensselaer Municipal Gas**
Case No.: **4202**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **November 28, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hi Speed Utility**
Other Party: **Vectren**
Case No.: **4312**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 5, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hi Speed Utility**
Other Party: **Vectren**
Case No.: **4316**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

** Fail to timely complete = \$5,000*

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Remus Farms (Robert Eshelman)**
Other Party: **NIPSCO**
Case No.: **4425**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **December 4, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Beechy's Backhoe & Dozer Service, Llc**
Other Party: **NIPSCO**
Case No.: **4427**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **December 13, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (2-day waiting)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	<u>waiting 2 days</u>

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B&D Construction**
Other Party: **NIPSCO**
Case No.: **4429**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D&D Fencing**
Other Party: **NIPSCO**
Case No.: **4430**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

warning letters

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking and Miller abstain

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **JJ Parent Company**
Other Party: **NIPSCO**
Case No.: **4432**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dragonfly Renovation**
Other Party: **NIPSCO**
Case No.: **4468**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **February 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **F X Underground**
Other Party: **Vectren**
Case No.: **4488**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **February 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **M & C Excavating**
Other Party: **Citizens Energy Group**
Case No.: **4499**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **December 19, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (outside ticket)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: **Warren, Selking, and Miller abstain**

APPROVED:
(initialed)

DM
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Brad Roy**
Other Party: **NIPSCO**
Case No.: **4505**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **November 11, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Olson**
Other Party: **NIPSCO**
Case No.: **4506**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **December 8, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A.P.I. Construction (Land Inc.)**
Other Party: **NIPSCO**
Case No.: **4512**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **November 19, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

*Training**

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

** Fail to timely complete = \$5,000*

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Thomas Hagen**
Other Party: **NIPSCO**
Case No.: **4515**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Xtreme Contractors**
Other Party: **NIPSCO**
Case No.: **4519**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Pokagon State Park**
Other Party: **NIPSCO**
Case No.: **4525**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **February 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if <u>warning letter</u>:</i>	White Lining	Potholing	Contacting 811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: Vectren (excavating)
Other Party: Vectren
Case No.: 4531
Date of Advisory Meeting: October 22, 2013
Date of Damage: March 1, 2013

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking and Miller abstain

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana - Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Robert Henry Corporation**
Other Party: **NIPSCO**
Case No.: **4539**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **March 6, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Training*

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking and Miller abstain

* Fail to timely complete = \$5,000

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ridge Petroleum Contractors**
Other Party: **NIPSCO**
Case No.: **4540**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **March 6, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(3)(b) - failure to notify of illegible marks

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Felix Bernal**
Other Party: **Vectren**
Case No.: **4542**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **March 7, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Star Excavating**
Other Party: **NIPSCO**
Case No.: **4553**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **March 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking and Miller abstain

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **D and D Maintenance**
Other Party: **NIPSCO**
Case No.: **4581**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **March 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mel Graber Excavating**
Other Party: **NIPSCO**
Case No.: **4586**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **March 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair		

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Metzlers Mr. Plumber**
Other Party: **Vectren**
Case No.: **4599**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 4, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **B and W Drilling**
Other Party: **NIPSCO**
Case No.: **4611**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 5, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking and Miller abstain

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Superior Construction**
Other Party: **NIPSCO**
Case No.: **4614**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter Training*

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair		

Additional Information: Selking and Miller abstain

* Fail to timely complete = \$5,000

APPROVED: B.W.
(initialed) Ben Warren
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **QC Communications, Inc.**
Other Party: **Vectren**
Case No.: **4620**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

\$3,000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

Contact re gas migration when boring under concrete.

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **QC Communications, Inc.**
Other Party: **Vectren**
Case No.: **4638**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

\$ 3,000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Alternative Trenching Inc**
Other Party: **Citizens Energy Group**
Case No.: **4644**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren, Selking, and Miller abstain

Call and explain why 20-day renewal is important.

APPROVED: 

(initialed)

Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gatlin Plumbing Inc.**
Other Party: **NIPSCO**
Case No.: **4657**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

\$ 3,000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dan Cristiani Excavating**
Other Party: **Vectren**
Case No.: **4664**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: Cisco Brummett
Other Party: NIPSCO
Case No.: 4672
Date of Advisory Meeting: October 22, 2013
Date of Damage: April 29, 2013

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking and Miller abstain

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeanne Reed**
Other Party: **NIPSCO**
Case No.: **4675**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking and Miller abstain

APPROVED:

B.W.

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Rex Construction**
Other Party: **NIPSCO**
Case No.: **4678**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

\$ 1500, Can mitigate \$750 if
training & C.A.P.

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **TLC Plumbing**
Other Party: **NIPSCO**
Case No.: **4681**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 1, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Eby Construction**
Other Party: **NIPSCO**
Case No.: **4684**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 2, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Whitley County Highway Department**
Other Party: **NIPSCO**
Case No.: **4701**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hambrock Electric**
Other Party: **NIPSCO**
Case No.: **4728**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 9, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(3)(b) - failure to notify of illegible marks

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Everdry Waterproofing**
Other Party: **NIPSCO**
Case No.: **4730**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 6, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (2-day waiting)

The Advisory Committee recommends the following penalty:

*Training**

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

** Fail to timely complete = \$5,000*

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gariup Construction Co Inc**
Other Party: **NIPSCO**
Case No.: **4737**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **June 19, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

*\$1500, can mitigate \$750 if
training & C.A.P.*

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **All Bore, Inc.**
Other Party: **NIPSCO**
Case No.: **4754**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **January 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

Because within 30 days of training they sent entire company to training

APPROVED: B.W.

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Fritch Construction Company Inc.**
Other Party: **NIPSCO**
Case No.: **4770**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<i>Clearance Zone (Two-Foot Rule)</i>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Affordable Sprinklers LLC.**
Other Party: **Vectren**
Case No.: **4794**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **April 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Beer and Flabaugh Excavating**
Other Party: **NIPSCO**
Case No.: **4804**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 8, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Trainings

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking and Miller abstain**

** Fail to complete timely = \$5,000*

APPROVED: *B.W.*
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Affordable Sewer Service LLC**
Other Party: **NIPSCO**
Case No.: **4812**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(3)(b) - failure to notify of illegible marks

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Allen Irrigation Company Inc.**
Other Party: **Vectren**
Case No.: **4824**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bailey Construction And Rentals**
Other Party: **NIPSCO**
Case No.: **4826**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (expired)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Maurer Well And Pump Service**
Other Party: **NIPSCO**
Case No.: **4838**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g): failure to provide notice (2-day waiting)

The Advisory Committee recommends the following penalty:

*Training**

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

** Fail to timely complete = \$5,000*

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**-*electric*
Other Party: **NIPSCO**
Case No.: **4850**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

\$3,000

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Miller Pipeline**
Other Party: **NIPSCO**
Case No.: **4860**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **May 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

\$3,000

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking and Miller abstain

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **KA Miner Excavating Inc.**
Other Party: **Vectren**
Case No.: **4921**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: B.W.
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Davis H Elliot Electrical Contractor**
Other Party: **Vectren**
Case No.: **4950**
Date of Advisory Meeting: **October 22, 2013**
Date of Damage: **June 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2) - failure to maintain 2-ft clearance

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking and Miller abstain**

APPROVED: *B.W.*
(initialed) Ben Warren
Chairman