

ORIGINAL

[Handwritten signatures]
APW

STATE OF INDIANA
INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: JUL 30 2014

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission’s Pipeline Safety Division (“Division”) to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee (“Advisory Committee”) reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

STEPHAN, MAYS, WEBER, AND ZIEGNER CONCUR:
WEBER NOT PARTICIPATING IN THOSE MATTERS INVOLVING VECTREN

APPROVED: JUL 30 2014

I hereby certify that the above is a true and correct copy of the Order as approved.

Shala M. Coe

Shala M. Coe
Acting Secretary to the Commission

Case No.	Excavator	Address	City State, Zip	Advisory Committee	Final Disposition	Damage Date
3172	Asplundh Construction	950 B Taylor Station Rd	Columbus, Oh 43230	9/25/12	Dismissed	6/11/12
3738	Asplundh Construction	136 Mills St	Gahanna, Oh 43230	2/26/13	Warning Letter	7/17/12
4092	Asplundh Construction	136 Mill St	Columbus, Oh 43230	10/22/13	Training 1st Level	11/1/12
4420	Asplundh Construction	1206 Savannah Lane	Monroe, Ga 30655	4/23/13	Training 1st Level	12/5/12
3075	CC&T Construction Inc	5051 Prospect St	Indianapolis, In 46203	9/25/12	Warning Letter	6/13/12
3756	CC&T Construction Inc	5051 Prospect St	Indianapolis, In 46203	2/26/13	Training 1st Level	6/14/12
3310	CCT Underground LLC	1021 E Michigan Street	Indianapolis, In 46202	3/26/13	Warning Letter	7/3/12
3333	Culy Contracting	P.O. Box 29	Winchester, IN 47394	10/23/12	Training 1st Level	6/4/12
5243	Feutz Contractings	P.O. Box 130	Paris, IL 61944	11/26/13	Warning Letter	8/5/13
4326	Ironclad Excavating Inc	576 Geiger Dr Suite C	Roanoke, In 46783	8/27/13	Training 2nd Level	1/14/13
3501	K & K Earth Moving Inc (K & K Fence)	60541 County Road 21	Goshen, In 46528	1/24/13	Warning Letter	4/6/13
3457	Key Concrete, Inc.	Po Box 9279	Fort Wayne, 46899	1/24/13	Warning Letter	5/11/12
3986	Key Concrete, Inc.	Po Box 9279	Fort Wayne, In 46899	7/23/13	Training 1st Level	6/12/12
5209	Key Concrete, Inc.	Po Box 9279	Fort Wayne, In 46899	11/26/13	Civil Penalty	10/2/12
4499	M & C Excavating	6222 W 800 N	Fountaintown, In 46130	10/22/13	Warning Letter	5/6/12
4167	Milestone Construction (Contractors)	5950 S Belmont Ave	Indianapolis, In 46217	9/24/13	Warning Letter	9/9/13
4166	Rieth Riley	P.O. Box 477	Goshen, In 46527	9/24/13	Civil Penalty	3/6/13
4217	Rieth Riley	Po Box 477	Goshen, In 46527	9/24/13	Civil Penalty	10/17/12
3839	Rieth Riley Construction	P.O. Box 477	Goshen, In 46527	8/27/13	Training 2nd Level	11/17/12
4080	Rieth Riley Construction	Po Box 477	Goshen, In 46527	4/23/13	Training 2nd Level	9/19/12
4821	Rieth Riley Construction	Po Box 477	Goshen, In 46527	11/26/13	Civil Penalty	10/31/12
5098	Rieth Riley Construction	Po Box 477	Goshen, In 46527	11/26/13	Civil Penalty	5/14/13
5785	Rieth Riley Construction	Po Box 1828	La Porte, In 46352	6/24/14	Civil Penalty	7/17/13
4897	Rieth Riley Construction Co	Po Box 477	Goshen, In 46527	11/26/13	Civil Penalty	10/2/13
4362	Rieth Riley Construction Company	Po Box 477	Goshen, In 46527	5/21/13	Training 2nd Level	6/4/13
4127	Rieth Riley Construction Company	Po Box 477	Goshen, In 46527	3/26/13	Training 2nd Level	8/23/12
4617	Rieth Riley Construction Company	Po Box 477	Goshen, In 46527	9/24/13	Civil Penalty	8/29/12
3065	Rieth-Riley	P.O. Box 477	Indianapolis, In 46206	10/23/12	Warning Letter	4/9/13
3669	Rieth-Riley	Po Box 477	Goshen, In 46527	2/26/13	Training 1st Level	6/12/12
3267	Rieth-Riley	1751 West Minnesota	Indianapolis, In 46206	10/23/12	Training 1st Level	6/15/12
3514	Rieth-Riley	1751 West Minnesota	Indianapolis, In 46206	2/26/13	Training 2nd Level	6/27/12
4354	Rieth-Riley	P.O. Box 477	Goshen, In 46257	9/24/13	Civil Penalty	7/27/12
4355	Rieth-Riley	Po Box 477	Goshen, In 46527	9/24/13	Civil Penalty	12/17/12
4001	Rieth-Riley Construction	Po Box 477	Goshen, Indiana 46527	7/23/13	Training 2nd Level	12/17/12
4811	Selge Construction Company Inc	2833 South 11Th Street	Niles, Mi 49120	12/17/13	Civil Penalty	6/13/12
4906	Selge Construction Company Inc	2833 South 11Th Street	Niles, Mi 49120	5/20/14	Training 1st Level	5/13/13
3131	Selge Construction Company, Inc.	2833 South 11Th Street	Niles, Mi 49120	10/23/12	Training 1st Level	7/29/13
3243	Selge Construction Company, Inc.	2833 S 11Th St	Niles, Mi 49120	10/23/12	NoViolation	6/5/12
3244	Selge Construction Company, Inc.	2833 S 11Th St	Niles, Mi 49120	10/23/12	NoViolation	6/5/12
3209	Selge Construction Company, Inc.	2833 South 11Th Street	Niles, Mi 49120	10/23/12	Warning Letter	6/7/12
4929	T S I Paving	Po Box 1540	New Albany, In 47150	8/27/13	Warning Letter	7/30/13
5155	T S I Paving	Po Box 1540	New Albany, In 47150	1/21/14	Training 1st Level	7/18/12
3442	Walsh Construction	1260 E Summit St	Crown Point, In 46307	11/27/12	Warning Letter	10/14/13
4365	Walsh Construction	311 S. 00EW	Kokomo, In 46902	8/27/13	Training 1st Level	5/30/12
3136	Wissco Irrigation	1820 South Bend Avenue	South Bend, In 46637	9/25/12	Dismissed	7/13/12
3154	Wissco Irrigation	1820 South Bend Avenue	South Bend, In 46637	10/23/12	Warning Letter	6/4/12
4138	Wissco Irrigation	1820 South Bend	South Bend, In 46637	3/26/13	Training 1st Level	6/7/12

Operator Violations

<u>Case No.</u>	<u>Operator</u>	<u>Advisory Committee</u>	<u>Final Disposition</u>	<u>Damage Date</u>
5393	Citizens Energy Group	5/20/14	Training 1st Level	2/24/13
5396	Citizens Energy Group	5/20/14	Training 1st Level	3/27/13
5729	Citizens Energy Group	6/24/14	Civil Penalty	9/21/13
5419	Citizens Energy Group	5/20/14	Training 1st Level	6/4/13
5425	Citizens Energy Group	5/20/14	Training 1st Level	6/14/13
5752	Citizens Energy Group	6/24/14	Civil Penalty	9/26/13
5427	Citizens Energy Group	5/20/14	Training 1st Level	6/18/13
3053	Citizens Energy Group	11/27/12	Warning Letter	5/14/12
3058	Citizens Energy Group	1/24/13	Training 1st Level	5/24/12
2912	Citizens Energy Group	1/21/14	Civil Penalty	5/3/12
3073	Citizens Energy Group	1/24/13	Training 1st Level	5/24/12
3570	Citizens Energy Group	5/20/14	Training 1st Level	8/15/12
3156	Citizens Energy Group	5/21/13	Training 1st Level	6/7/12
3114	Citizens Energy Group	1/24/13	Training 1st Level	5/29/12
3130	Citizens Energy Group	5/21/13	Training 1st Level	6/5/12
3429	Citizens Energy Group	5/21/13	Training 1st Level	7/17/12
3432	Citizens Energy Group	5/21/13	Training 1st Level	7/23/12
3433	Citizens Energy Group	5/21/13	Training 1st Level	7/26/12
3434	Citizens Energy Group	5/21/13	Training 1st Level	6/8/12
3678	Citizens Energy Group	1/21/14	Civil Penalty	8/29/12
3713	Citizens Energy Group	9/24/13	Civil Penalty	9/6/12
3720	Citizens Energy Group	9/24/13	Civil Penalty	8/23/12
4196	Citizens Energy Group	2/25/14	Training 1st Level	10/10/12
5444	Citizens Energy Group	5/20/14	Training 1st Level	8/13/12
3767	Citizens Energy Group	4/22/14	Training 1st Level	8/7/12
3768	Citizens Energy Group	1/21/14	Civil Penalty	8/30/12
3771	Citizens Energy Group	5/20/14	Training 1st Level	9/13/12
3779	Citizens Energy Group	1/21/14	Civil Penalty	9/29/12
3788	Citizens Energy Group	1/21/14	Civil Penalty	6/23/12
3812	Citizens Energy Group	5/20/14	Training 1st Level	9/12/12
3882	Citizens Energy Group	1/28/14	Civil Penalty	7/16/12
4060	Citizens Energy Group	2/25/14	Training 1st Level	10/25/12
5460	Citizens Energy Group	5/20/14	Training 1st Level	5/28/13
4111	Citizens Energy Group	2/25/14	Training 1st Level	11/13/12
4243	Citizens Energy Group	3/25/14	Training 1st Level	11/26/12
4215	Citizens Energy Group	5/20/14	Training 1st Level	11/17/12
3885	Citizens Energy Group	3/25/14	Training 1st Level	8/23/12
4450	Citizens Energy Group	3/25/14	Training 1st Level	2/5/13
4491	Citizens Energy Group	3/25/14	Training 1st Level	1/16/13
4337	Citizens Energy Group	5/20/14	Training 1st Level	1/24/13
4492	Citizens Energy Group	3/25/14	Training 1st Level	1/10/13
4353	Citizens Energy Group	3/25/14	Training 1st Level	12/4/12
4466	Citizens Energy Group	3/25/14	Training 1st Level	2/12/13
4583	Citizens Energy Group	3/25/14	Training 1st Level	3/27/13
4589	Citizens Energy Group	3/25/14	Training 1st Level	3/29/13
4800	Citizens Energy Group	3/25/14	NoViolation	5/7/13
4839	Citizens Energy Group	4/22/14	Training 1st Level	5/21/13

Operator Violations

Case No.	Operator	Advisory Committee	Final Disposition	Damage Date
3324	NIPSCO	5/21/13	Training 1st Level	6/11/12
3665	NIPSCO	6/25/13	Training 1st Level	7/6/12
3151	NIPSCO	1/24/13	Training 1st Level	6/6/12
3236	NIPSCO	1/24/13	Training 1st Level	5/2/12
3106	NIPSCO	1/24/13	Training 1st Level	5/25/12
3142	NIPSCO	1/24/13	Training 1st Level	6/6/12
3159	NIPSCO	1/24/13	Training 1st Level	6/11/12
3175	NIPSCO	1/24/13	Training 1st Level	6/12/12
3178	NIPSCO	6/25/13	Training 1st Level	6/13/12
3183	NIPSCO	1/24/13	Training 1st Level	6/13/12
3192	NIPSCO	1/24/13	Training 1st Level	6/18/12
3205	NIPSCO	1/24/13	Training 1st Level	6/20/12
3210	NIPSCO	2/26/13	Training 1st Level	6/20/12
3280	NIPSCO	2/26/13	Training 1st Level	6/26/12
3289	NIPSCO	1/24/13	Training 1st Level	6/28/12
3291	NIPSCO	1/24/13	Training 1st Level	6/28/12
3294	NIPSCO	1/24/13	Training 1st Level	6/29/12
3296	NIPSCO	1/24/13	Training 1st Level	6/29/12
3305	NIPSCO	1/24/13	Training 1st Level	7/3/12
3479	NIPSCO	5/21/13	Training 1st Level	5/11/12
3347	NIPSCO	2/26/13	Training 1st Level	7/10/12
3398	NIPSCO	1/24/13	Training 1st Level	7/23/12
3458	NIPSCO	5/21/13	Training 1st Level	6/13/12
3461	NIPSCO	5/21/13	Training 1st Level	6/23/12
3463	NIPSCO	5/21/13	Training 1st Level	6/30/12
3466	NIPSCO	5/21/13	Training 1st Level	7/9/12
3487	NIPSCO	5/21/13	Training 2nd Level	7/17/12
3493	NIPSCO	5/21/13	Training 1st Level	8/2/12
3502	NIPSCO	5/21/13	Training 1st Level	7/10/12
3504	NIPSCO	5/21/13	Training 1st Level	7/23/12
3522	NIPSCO	5/21/13	Training 1st Level	7/30/12
3526	NIPSCO	5/21/13	Training 1st Level	7/31/12
3528	NIPSCO	5/21/13	Training 1st Level	8/2/12
3531	NIPSCO	5/21/13	Training 1st Level	8/2/12
3538	NIPSCO	5/21/13	Training 1st Level	8/2/12
3541	NIPSCO	5/21/13	Training 1st Level	8/7/12
3545	NIPSCO	5/21/13	Training 1st Level	8/8/12
3552	NIPSCO	6/25/13	Training 1st Level	8/6/12
3564	NIPSCO	6/25/13	Training 2nd Level	8/14/12
3567	NIPSCO	6/25/13	Training 1st Level	8/15/12
3577	NIPSCO	6/25/13	Training 1st Level	8/16/12
3578	NIPSCO	6/25/13	Training 1st Level	8/16/12
3599	NIPSCO	6/25/13	Training 1st Level	8/17/12
3602	NIPSCO	6/25/13	Training 1st Level	8/17/12
3607	NIPSCO	6/25/13	Training 1st Level	8/22/12
3608	NIPSCO	6/25/13	Training 1st Level	8/22/12
3610	NIPSCO	6/25/13	Training 1st Level	8/22/12

Operator Violations

<u>Case No.</u>	<u>Operator</u>	<u>Advisory Committee</u>	<u>Final Disposition</u>	<u>Damage Date</u>
4053	NIPSCO	2/25/14	Training 1st Level	10/24/12
4056	NIPSCO	2/25/14	Training 1st Level	10/24/12
4059	NIPSCO	2/25/14	Training 1st Level	10/25/12
4061	NIPSCO	2/25/14	Training 1st Level	10/25/12
3852	NIPSCO	9/24/13	Civil Penalty	9/20/12
3855	NIPSCO	9/24/13	Civil Penalty	9/21/12
3857	NIPSCO	2/25/14	Training 1st Level	9/21/12
4075	NIPSCO	8/27/13	Training 2nd Level	10/30/12
4082	NIPSCO	8/27/13	Training 2nd Level	10/31/12
4083	NIPSCO	2/25/14	Training 1st Level	10/31/12
4088	NIPSCO	8/27/13	Training 2nd Level	11/1/12
3861	NIPSCO	2/25/14	Training 1st Level	9/22/12
4101	NIPSCO	2/25/14	training 1st Level	11/8/12
4110	NIPSCO	7/23/13	Training 2nd Level	11/13/12
4046	NIPSCO	8/27/13	Training 2nd Level	10/21/12
4189	NIPSCO	8/27/13	Training 2nd Level	10/1/12
4242	NIPSCO	9/24/13	Civil Penalty	11/26/12
3866	NIPSCO	2/25/14	Training 1st Level	9/24/12
4246	NIPSCO	8/27/13	Training 2nd Level	11/27/12
4129	NIPSCO	8/27/13	Training 2nd Level	8/27/12
4255	NIPSCO	8/27/13	Training 2nd Level	11/30/12
4049	NIPSCO	8/27/13	Training 2nd Level	10/22/12
4132	NIPSCO	2/25/14	Dismissed	9/7/12
4133	NIPSCO	2/25/14	Training 1st Level	9/7/12
3868	NIPSCO	2/25/14	Training 1st Level	9/25/12
4203	NIPSCO	8/27/13	Training 2nd Level	9/18/12
4261	NIPSCO	8/27/13	Training 2nd Level	12/4/12
4204	NIPSCO	8/27/13	Training 2nd Level	9/27/12
4206	NIPSCO	2/25/14	NoViolation	9/27/12
4096	NIPSCO	2/25/14	Training 1st Level	11/6/12
4211	NIPSCO	8/27/13	Training 2nd Level	10/10/12
4264	NIPSCO	8/27/13	Training 2nd Level	12/5/12
4265	NIPSCO	9/24/13	Civil Penalty	12/5/12
4269	NIPSCO	9/24/13	Civil Penalty	12/6/12
4270	NIPSCO	2/25/14	Training 1st Level	12/6/12
4124	NIPSCO	8/27/13	Training 2nd Level	11/15/12
4281	NIPSCO	8/27/13	Training 2nd Level	12/11/12
4298	NIPSCO	8/27/13	Training 2nd Level	12/17/12
4300	NIPSCO	3/25/14	Training 1st Level	12/18/12
4308	NIPSCO	8/27/13	Training 2nd Level	12/30/12
4310	NIPSCO	2/25/14	Warning Letter	1/3/13
3909	NIPSCO	2/25/14	Training 1st Level	8/17/12
4319	NIPSCO	2/25/14	Training 1st Level	1/8/13
4322	NIPSCO	8/27/13	Training 2nd Level	1/9/13
4326	NIPSCO	8/27/13	Training 2nd Level	1/14/13
5013	NIPSCO	4/22/14	Training 1st Level	6/21/13
3928	NIPSCO	2/25/14	Training 1st Level	8/17/12

Operator Violations

<u>Case No.</u>	<u>Operator</u>	<u>Advisory Committee</u>	<u>Final Disposition</u>	<u>Damage Date</u>
4573	NIPSCO	2/25/14	Training 1st Level	3/22/13
4577	NIPSCO	2/25/14	Training 1st Level	3/25/13
4578	NIPSCO	2/25/14	Training 1st Level	3/25/13
4579	NIPSCO	3/25/14	Training 1st Level	3/26/13
4590	NIPSCO	2/25/14	Training 1st Level	4/1/13
4592	NIPSCO	2/25/14	Training 1st Level	4/2/13
4603	NIPSCO	12/17/13	Civil Penalty	4/4/13
4621	NIPSCO	3/25/14	Training 1st Level	4/12/13
4628	NIPSCO	12/17/13	Civil Penalty	4/15/13
4639	NIPSCO	3/25/14	Training 1st Level	4/17/13
4641	NIPSCO	12/17/13	Civil Penalty	4/18/13
4648	NIPSCO	12/17/13	Civil Penalty	4/19/13
4649	NIPSCO	3/25/14	Training 1st Level	4/19/13
4656	NIPSCO	12/17/13	Civil Penalty	4/24/13
4659	NIPSCO	12/17/13	Civil Penalty	4/24/13
4662	NIPSCO	5/20/14	Training 1st Level	4/25/13
4665	NIPSCO	3/25/14	Training 1st Level	4/25/13
4676	NIPSCO	3/25/14	Training 1st Level	4/30/13
4688	NIPSCO	3/25/14	Training 1st Level	5/2/13
4704	NIPSCO	3/25/14	Training 1st Level	3/4/13
4714	NIPSCO	3/25/14	Training 1st Level	6/27/12
4715	NIPSCO	3/25/14	Training 1st Level	4/4/13
4723	NIPSCO	5/20/14	Training 1st Level	6/4/12
4725	NIPSCO	4/22/14	Training 1st Level	1/9/13
4738	NIPSCO	3/25/14	Training 1st Level	12/26/12
4740	NIPSCO	3/25/14	Training 1st Level	3/19/13
4744	NIPSCO	3/25/14	Training 1st Level	1/30/13
4752	NIPSCO	3/25/14	Training 1st Level	9/25/12
4753	NIPSCO	4/22/14	Training 1st Level	11/7/12
4769	NIPSCO	4/22/14	Training 1st Level	4/16/13
4779	NIPSCO	4/22/14	Training 1st Level	9/14/12
4780	NIPSCO	3/25/14	Training 1st Level	10/16/12
4803	NIPSCO	4/22/14	Training 1st Level	5/8/13
4814	NIPSCO	3/25/14	Training 1st Level	5/13/13
4816	NIPSCO	3/25/14	Training 1st Level	5/13/13
4818	NIPSCO	3/25/14	Training 1st Level	5/14/13
4834	NIPSCO	3/25/14	Training 1st Level	5/17/13
4840	NIPSCO	3/25/14	Training 1st Level	5/21/13
4852	NIPSCO	3/25/14	Training 1st Level	5/22/13
4855	NIPSCO	4/22/14	Training 1st Level	5/23/13
4858	NIPSCO	3/25/14	Training 1st Level	5/23/13
4867	NIPSCO	4/22/14	Training 1st Level	5/28/13
4868	NIPSCO	4/22/14	Training 1st Level	5/28/13
4877	NIPSCO	4/22/14	Training 1st Level	5/30/13
4903	NIPSCO	4/22/14	Training 1st Level	6/7/13
4914	NIPSCO	4/22/14	Training 1st Level	6/10/13
4923	NIPSCO	4/22/14	Training 1st Level	6/12/13

Operator Violations

<u>Case No.</u>	<u>Operator</u>	<u>Advisory Committee</u>	<u>Final Disposition</u>	<u>Damage Date</u>
5298	NIPSCO	4/22/14	Training 1st Level	8/17/13
5310	NIPSCO	4/22/14	Training 1st Level	8/20/13
5317	NIPSCO	3/25/14	Training 1st Level	8/21/13
5331	NIPSCO	4/22/14	Training 1st Level	8/26/13
5339	NIPSCO	4/22/14	Training 1st Level	8/27/13
5345	NIPSCO	4/22/14	Training 1st Level	8/28/13
6776	NIPSCO	5/20/14	Training 1st Level	4/26/13
7029	NIPSCO	4/22/14	Training 1st Level	6/19/13
7385	NIPSCO	6/24/14	Training 1st Level	7/3/13
7386	NIPSCO	6/24/14	Training 1st Level	7/11/13
7389	NIPSCO	6/24/14	Training 1st Level	7/18/13
5290	Sycamore Gas Company	4/22/14	Warning Letter	8/15/13
4448	Vectren	9/24/13	Civil Penalty	2/1/13
5664	Vectren	6/24/14	Civil Penalty	9/4/13
5687	Vectren	6/24/14	Civil Penalty	9/9/13
5694	Vectren	6/24/14	Civil Penalty	9/11/13
5716	Vectren	6/24/14	Civil Penalty	9/18/13
5772	Vectren	6/24/14	Civil Penalty	9/30/13
5802	Vectren	6/24/14	Civil Penalty	10/7/13
2930	Vectren	11/27/12	Training 1st Level	5/7/12
2943	Vectren	11/27/12	Training 1st Level	5/10/12
2944	Vectren	11/27/12	Training 1st Level	5/10/12
2960	Vectren	11/27/12	Training 1st Level	5/15/12
2963	Vectren	11/27/12	Training 1st Level	5/15/12
2983	Vectren	11/27/12	Training 1st Level	5/22/12
3001	Vectren	1/24/13	Training 1st Level	5/24/12
6050	Vectren	6/24/14	Civil Penalty	9/13/13
3125	Vectren	1/24/13	Training 1st Level	5/31/12
3107	Vectren	1/24/13	Training 1st Level	5/25/12
3120	Vectren	5/21/13	Training 1st Level	5/30/12
3135	Vectren	1/24/13	Training 1st Level	6/5/12
3138	Vectren	1/24/13	Training 1st Level	6/4/12
3140	Vectren	10/23/12	Warning Letter	6/4/12
3146	Vectren	1/24/13	Training 1st Level	6/6/12
3166	Vectren	5/20/14	Training 2nd Level	6/8/12
3167	Vectren	1/24/13	Training 1st Level	6/9/12
3173	Vectren	1/24/13	Training 1st Level	6/11/12
3199	Vectren	1/24/13	Training 1st Level	6/19/12
3319	Vectren	1/24/13	Training 1st Level	7/5/12
3255	Vectren	1/24/13	Training 1st Level	6/19/12
3260	Vectren	1/24/13	Training 1st Level	6/22/12
3278	Vectren	1/24/13	Training 1st Level	6/26/12
3288	Vectren	2/26/13	Training 1st Level	6/28/12
3306	Vectren	1/24/13	Training 1st Level	7/3/12
3360	Vectren	2/26/13	Training 1st Level	7/12/12
3386	Vectren	5/21/13	Training 1st Level	7/18/12
3535	Vectren	5/21/13	Training 1st Level	8/1/12

Operator Violations

<u>Case No.</u>	<u>Operator</u>	<u>Advisory Committee</u>	<u>Final Disposition</u>	<u>Damage Date</u>
5605	Vectren	4/22/14	Training 1st Level	6/28/13
4576	Vectren	3/25/14	Training 1st Level	3/23/13
4600	Vectren	3/25/14	Training 1st Level	4/4/13
4602	Vectren	5/20/14	Training 1st Level	4/4/13
4606	Vectren	5/20/14	Training 1st Level	4/4/13
4631	Vectren	3/25/14	Training 1st Level	4/16/13
4661	Vectren	3/25/14	Training 1st Level	4/25/13
4691	Vectren	3/25/14	Training 1st Level	5/2/13
5608	Vectren	5/20/14	Training 1st Level	7/17/13
4807	Vectren	4/22/14	Training 1st Level	5/9/13
4823	Vectren	4/22/14	Training 1st Level	5/14/13
4844	Vectren	3/25/14	Training 1st Level	5/21/13
4879	Vectren	4/22/14	Training 1st Level	5/30/13
4901	Vectren	12/17/13	Civil Penalty	6/6/13
4904	Vectren	4/22/14	Training 1st Level	6/7/13
4912	Vectren	12/17/13	Civil Penalty	6/10/13
4916	Vectren	3/25/14	Training 1st Level	6/11/13
4918	Vectren	3/25/14	Training 1st Level	6/11/13
5618	Vectren	4/22/14	Training 1st Level	6/3/13
4938	Vectren	12/17/13	Civil Penalty	6/17/13
4942	Vectren	12/17/13	Civil Penalty	6/18/13
5624	Vectren	4/22/14	Training 1st Level	6/5/13
5633	Vectren	4/22/14	Training 1st Level	7/29/13
5052	Vectren	3/25/14	Training 1st Level	7/8/13
5054	Vectren	3/25/14	Training 1st Level	7/8/13
5637	Vectren	4/22/14	Training 1st Level	6/26/13
5064	Vectren	3/25/14	Training 1st Level	7/9/13
5066	Vectren	3/25/14	Training 1st Level	7/10/13
5071	Vectren	4/22/14	Training 1st Level	7/11/13
5072	Vectren	3/25/14	Training 1st Level	7/11/13
5074	Vectren	4/22/14	Training 1st Level	7/12/13
5089	Vectren	3/25/14	Training 1st Level	7/15/13
5101	Vectren	3/25/14	Training 1st Level	7/17/13
5639	Vectren	4/22/14	Training 1st Level	6/5/13
5640	Vectren	4/22/14	Training 1st Level	6/12/13
5153	Vectren	5/20/14	Training 1st Level	6/28/13
5161	Vectren	5/20/14	Training 1st Level	7/3/13
5163	Vectren	5/20/14	Training 1st Level	7/3/13
5182	Vectren	4/22/14	Training 1st Level	7/25/13
5211	Vectren	3/25/14	Training 1st Level	7/30/13
5232	Vectren	4/22/14	Training 1st Level	8/1/13
5247	Vectren	3/25/14	Training 1st Level	8/5/13
5266	Vectren	4/22/14	Training 1st Level	8/8/13
5649	Vectren	4/22/14	Training 1st Level	6/20/13
5270	Vectren	4/22/14	Training 1st Level	8/8/13
5274	Vectren	4/22/14	Training 1st Level	8/10/13
5283	Vectren	5/20/14	Training 1st Level	8/13/13

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Adams Water And Sewer Service Inc**
Other Party: **Citizens Energy Group**
Case No.: **3263**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, June 23, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Culy Construction & Excavating, Inc.**
Other Party: **Citizens Energy Group**
Case No.: **3418**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, July 26, 2012**


The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ermer Weir**
Other Party: **Citizens Energy Group**
Case No.: **3759**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, July 14, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(out)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 

(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Black Diamond Electric**
Other Party: **Citizens Energy Group**
Case No.: **3760**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, July 31, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dorsey Investments**
Other Party: **Citizens Energy Group**
Case No.: **3761**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, August 03, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **Perry, Charles A. C/O Perry Excavators**
Case No.: **3767**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 07, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Stabilization Services Inc.**
Other Party: **Citizens Energy Group**
Case No.: **4346**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, November 09, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **QC Communications, Inc.**
Case No.: **4725**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, January 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Christopher Foust**
Case No.: **4753**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, November 07, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Mishawaka Utilities**
Case No.: **4769**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, April 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Niblock Excavating, Inc.**
Case No.: **4779**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, September 14, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO - Gas**
Other Party: **NIPSCO**
Case No.: **4797**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, May 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Kenneth Susdorf**
Case No.: **4803**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, May 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

~~warning letter~~ training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO-Gas**
Other Party: **NIPSCO**
Case No.: **4809**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, May 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Citizens Energy Group**
Other Party: **A K And M Trenching Inc**
Case No.: **4839**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Warren abstains**

APPROVED:
(initialed)

DM
Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Emond Drainage Service**
Case No.: **4855**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, May 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

with training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Dewulf Excavating Inc**
Case No.: **4867**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, May 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED:
(initialed)

Ben Warren
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **4868**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, May 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **E & B Paving Inc**
Case No.: **4877**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, May 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Miller Pipeline**
Case No.: **4903**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, June 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains, Miller abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Pirtano**
Case No.: **4914**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, June 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **All Star Construction And Excavating Inc**
Case No.: **4923**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Eicher Excavating Incorporated**
Case No.: **4943**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, June 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **H And G Underground Utilities Llc**
Case No.: **4951**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ameri Dream Fence**
Case No.: **5013**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, June 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) **Ben Warren**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Reeves Fence Company**
Case No.: **5033**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 01, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Gatlin Plumbing**
Case No.: **5035**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 01, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Selge Construction Company Inc**
Case No.: **5055**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Warning

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Robinson Trenching**
Case No.: **5057**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Infrasource Underground Construction**
Case No.: **5061**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, July 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Action Plumbing**
Case No.: **5076**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Troy Eads Excavating Inc**
Case No.: **5077**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Sikma Plumbing Inc**
Case No.: **5080**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **5082**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, July 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **R V Sutton Incorporated**
Case No.: **5084**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Ferguson Michiana**
Case No.: **5086**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Fort Wayne City Utilities**
Case No.: **5088**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Lowry Construction**
Case No.: **5100**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Land Construction Inc**
Case No.: **5130**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, June 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Spirit Wrecking**
Case No.: **5134**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, June 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Marvin Podinski**
Other Party: **NIPSCO**
Case No.: **5175**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David Newnam**
Other Party: **NIPSCO**
Case No.: **5205**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Sunday, July 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Selge Construction Company Inc**
Other Party: **NIPSCO**
Case No.: **5208**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selging abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Environmental Construction**
Case No.: **5210**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Langfeldt Excavating**
Case No.: **5216**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Asplundh Construction Corporation**
Case No.: **5220**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **QC Communications Inc**
Case No.: **5222**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Selge Construction Company Inc**
Case No.: **5224**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selging abstains

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Robert Neises Construction Corporation**
Case No.: **5238**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, August 02, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **5244**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Pirtano**
Case No.: **5246**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Key Concrete, Inc.**
Other Party: **NIPSCO**
Case No.: **5252**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Key Concrete, Inc.**
Other Party: **NIPSCO**
Case No.: **5261**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ironclad Excavating Inc**
Other Party: **NIPSCO**
Case No.: **5276**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paul Marszelek**
Other Party: **NIPSCO**
Case No.: **5278**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Justice Lawn Care**
Other Party: **NIPSCO**
Case No.: **5281**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **NIPSCO**
Case No.: **5282**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **R And R Excavating**
Case No.: **5284**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sycamore Gas Company**
Other Party: **Steves Construction**
Case No.: **5290**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, August 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Kankakee Valley Remc**
Case No.: **5294**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, August 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Hire Construction**
Case No.: **5298**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, August 17, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **GE Marshall Inc**
Case No.: **5310**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kurtz Excavating Incorporated**
Other Party: **NIPSCO**
Case No.: **5313**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wissco Irrigation/Invisible Fence**
Other Party: **NIPSCO**
Case No.: **5329**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **C And E Excavating**
Case No.: **5331**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Asplundh Construction**
Case No.: **5339**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: _____



(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Marie Maruszak**
Other Party: **NIPSCO**
Case No.: **5341**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Robert Henry Corporation**
Case No.: **5345**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town Of Flora**
Other Party: **NIPSCO**
Case No.: **5351**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, August 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: ~~Arexco/Rich Roberts~~
Other Party: **Community Natural Gas, Inc.**
Case No.: **5375**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jason Dupont**
Other Party: **Community Natual Gas, Inc.**
Case No.: **5377**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, August 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Greg Helwig**
Other Party: **Indiana Natural Gas Corporation**
Case No.: **5378**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: *Training because*
Self-repair & waited three
hours to report damage

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **David Foster**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **5381**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Don Lawless (Town Of Bloomfield)**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **5382**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Specialties Company LLC**
Other Party: **NIPSCO**
Case No.: **5391**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dunigan Bros**
Other Party: **Citizens Energy Group**
Case No.: **5392**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, February 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Reith Riley**
Other Party: **Citizens Energy Group**
Case No.: **5397**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, March 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Walsh Construction Company**
Other Party: **Citizens Energy Group**
Case No.: **5398**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, April 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)



Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Elevation Excavation**
Other Party: **Citizens Energy Group**
Case No.: **5401**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, April 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dan Rex Fisher**
Other Party: **Citizens Energy Group**
Case No.: **5402**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, April 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) **Dan Meiners**
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Scott M Nichols**
Other Party: **Citizens Energy Group**
Case No.: **5409**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Warren abstains

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **M & C Excavating**
Other Party: **Citizens Energy Group**
Case No.: **5424**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **American Tent & Awning Co., Inc.**
Other Party: **Citizens Energy Group**
Case No.: **5429**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, June 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Estes Designs**
Other Party: **Citizens Energy Group**
Case No.: **5436**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, July 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Aguilar'S Ornamental Iron Works**
Other Party: **Citizens Energy Group**
Case No.: **5440**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Swackhamer Masonry & Concrete**
Other Party: **Citizens Energy Group**
Case No.: **5442**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains** call & inform
"driving" is excavating.

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Michael D Moriarty**
Other Party: **Citizens Energy Group**
Case No.: **5452**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, June 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City Department Of Westfield**
Other Party: **Citizens Energy Group**
Case No.: **5461**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, May 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Warren abstains**

APPROVED:
(initialed)


Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Andy Lawson- Homeowner**
Other Party: **Sycamore Gas Company**
Case No.: **6358**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Sunday, August 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Paul Rohe**
Other Party: **Sycamore Gas Company**
Case No.: **6361**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, August 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Land Construction**
Other Party: **NIPSCO**
Case No.: **6756**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, May 16, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:

(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gene'S Sewer Service**
Other Party: **NIPSCO**
Case No.: **6759**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, April 01, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **William Burton**
Other Party: **NIPSCO**
Case No.: **6762**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, April 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ligonier Telephone Company**
Other Party: **NIPSCO**
Case No.: **6771**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, April 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **State Barricading Company**
Other Party: **NIPSCO**
Case No.: **6772**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, April 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hurley Construction & Remodeling**
Other Party: **NIPSCO**
Case No.: **6773**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, April 22, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Marion Polniak**
Other Party: **NIPSCO**
Case No.: **6774**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, April 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **TI Jackson Construction Inc**
Other Party: **NIPSCO**
Case No.: **6775**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, April 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Taylor Plumbing And Sewer Service**
Other Party: **NIPSCO**
Case No.: **6779**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, April 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ron Girod Construction**
Other Party: **NIPSCO**
Case No.: **6780**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, March 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **22nd Century Homes**
Other Party: **NIPSCO**
Case No.: **6781**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, April 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Austgen Equipment Inc**
Other Party: **NIPSCO**
Case No.: **6785**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, May 01, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Buehler'S Landscaping**
Other Party: **NIPSCO**
Case No.: **6787**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, May 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jose Silva**
Other Party: **NIPSCO**
Case No.: **6802**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, May 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Pankop Drainage & Excavating, Inc**
Other Party: **NIPSCO**
Case No.: **6804**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)



Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town Of Merrillville**
Other Party: **NIPSCO**
Case No.: **6805**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bradley Banks**
Other Party: **NIPSCO**
Case No.: **6806**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, May 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **H I S Constructors Inc**
Other Party: **NIPSCO**
Case No.: **6807**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, May 15, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jeff Williams**
Other Party: **NIPSCO**
Case No.: **6808**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, May 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Joseph Walker**
Other Party: **NIPSCO**
Case No.: **6810**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, May 21, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 

(initialed)

Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Auburn Water Department**
Other Party: **NIPSCO**
Case No.: **6812**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, May 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Ortman Drilling Inc**
Other Party: **NIPSCO**
Case No.: **6881**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, June 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(expire)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Glover & Sons Concrete**
Other Party: **NIPSCO**
Case No.: **6884**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, June 24, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Creed Septic System Specialist**
Other Party: **NIPSCO**
Case No.: **6889**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, June 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Jerry Reed Excavating**
Other Party: **NIPSCO**
Case No.: **7008**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, June 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED:
(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town Of Winamac**
Other Party: **NIPSCO**
Case No.: **7009**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, June 06, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

Warning Letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: Selking abstains

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Moke Realty**
Other Party: **NIPSCO**
Case No.: **7016**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, June 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selking abstains**

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **NIPSCO**
Other Party: **Selge Construction Company Inc**
Case No.: **7029**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 19, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: **Selging abstains**

APPROVED:

(initialed)


Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Reliable Concrete and Construction**
Case No.: **3673**
Date of Advisory Meeting: **February 25, 2014**
Date of Damage: **August 29, 2012**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f) - mislocate or failure to locate

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Vectren Energy Delivery**
Case No.: **4673**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, April 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Milestone Contractors**
Case No.: **4807**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, May 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Corner Cable Inc**
Case No.: **4823**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, May 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Watson Excavating**
Case No.: **4879**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, May 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

 training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **K And K Fence Company**
Other Party: **Vectren**
Case No.: **4901**
Date of Advisory Meeting: **March 25, 2014**
Date of Damage: **6/6/2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:
Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Midwestern Electric Inc**
Case No.: **4904**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, June 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Telecom Placement**
Case No.: **5071**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, July 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Hydromax Inc**
Case No.: **5074**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Environmental Construction**
Case No.: **5182**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, July 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Mattingly Concrete Inc**
Other Party: **Vectren**
Case No.: **5195**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, July 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Environmental Construction**
Case No.: **5232**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, August 01, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting	811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair		

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Dave Omara Contractor**
Case No.: **5266**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, August 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **R And T Trenching**
Case No.: **5270**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, August 08, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Belcher Construction**
Case No.: **5274**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Saturday, August 10, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Melissa Peasley**
Other Party: **Vectren**
Case No.: **5324**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, August 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(prior)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Dave Omara Contractor**
Case No.: **5330**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Feutz Contractors Incorporated**
Case No.: **5335**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *B Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Dave Omara Contractor**
Case No.: **5336**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Gaylor Electric**
Case No.: **5338**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, August 27, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Telecom Placement**
Case No.: **5347**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

traming

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Princeton Water Dept**
Case No.: **5605**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, June 28, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Hendricks Co Hwy Dept**
Case No.: **5618**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, June 03, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Sub Surface Indiana**
Case No.: **5624**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

framing

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Stephen V. Paris**
Other Party: **Vectren**
Case No.: **5630**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, June 13, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(other)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **C C & T Construction**
Other Party: **Vectren**
Case No.: **5631**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, June 11, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Town Of Sandborn**
Case No.: **5633**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Snedegar Construction**
Case No.: **5637**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Hillenburg, Dennis**
Case No.: **5639**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Snedegar Construction**
Case No.: **5640**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **B M B Inc**
Case No.: **5649**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, June 20, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-18(f)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	<u>White Lining</u>	<u>Potholing</u>	<u>Contacting 811</u>
<u>Clearance Zone (Two-Foot Rule)</u>	<u>Damaging Lines</u>	<u>Self Repair</u>	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Evansville Street Department**
Other Party: **Vectren**
Case No.: **5653**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, July 25, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: *Clay County Rural Telephone Company, INC. d/b/w* ~~CCRTC~~ Endeavor Communications
Other Party: Vectren
Case No.: 6332
Date of Advisory Meeting: April 22, 2014
Date of Damage: Friday, August 16, 2013

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *Ben Warren*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wolfson Young Architects**
Other Party: **Vectren**
Case No.: **6371**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Snedegar Construction Co.**
Other Party: **Vectren**
Case No.: **6372**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Thursday, July 18, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **TSI Paving**
Other Party: **Vectren**
Case No.: **6373**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(1)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: *B Wa*
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **A1 Contracting & Concrete Leveling**
Other Party: **Vectren**
Case No.: **6374**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, July 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Purdue Farms**
Other Party: **Vectren**
Case No.: **6375**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, July 09, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Meinders Concrete**
Other Party: **Vectren**
Case No.: **6376**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, July 29, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
<u>Clearance Zone (Two-Foot Rule)</u>	Damaging Lines	<u>Self Repair</u>	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **W H Bass Inc**
Other Party: **Vectren**
Case No.: **6378**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, July 23, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Bynum Fanyo Utility**
Other Party: **Vectren**
Case No.: **6379**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, July 30, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Plainfield Water Department**
Other Party: **Vectren**
Case No.: **6380**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Meadowview Farms**
Other Party: **Vectren**
Case No.: **6381**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Friday, July 26, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)(out)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Haase Farms Inc**
Other Party: **Vectren**
Case No.: **6382**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, July 31, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Aaa Lawn Irrigation, Inc.**
Other Party: **Vectren**
Case No.: **6383**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, June 05, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **ARS Rescue Rooter**
Other Party: **Vectren**
Case No.: **6384**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Broyles Plumbing Heating & Cooling, Inc.**
Other Party: **Vectren**
Case No.: **6388**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Monday, August 12, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Carson Miller**
Other Party: **Vectren**
Case No.: **6389**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Wednesday, August 14, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-16(g)

The Advisory Committee recommends the following penalty:

warning letter

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Cct Underground**
Other Party: **Vectren**
Case No.: **6390**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, June 04, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) _____
Ben Warren
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Milestone Contractors Lp**
Other Party: **Vectren**
Case No.: **6660**
Date of Advisory Meeting: **April 22, 2014**
Date of Damage: **Tuesday, May 07, 2013**

The IURC Pipeline Safety Division finds the following violation:
IC 8-1-26-20(a)(2)

The Advisory Committee recommends the following penalty:

Training

<i>Special instructions if warning letter:</i>	White Lining	Potholing	Contacting 811
Clearance Zone (Two-Foot Rule)	Damaging Lines	Self Repair	

Additional Information: _____

APPROVED: 
(initialed) Ben Warren
Chairman