

ORIGINAL

[Handwritten signatures and initials in blue ink]

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE) APPROVED: SEP 26 2012
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

ATTERHOLT, BENNETT, LANDIS, MAYS, AND ZIEGNER CONCUR; MAYS NOT PARTICIPATING IN THOSE MATTERS INVOLVING VECTREN;

APPROVED: SEP 26 2012

I hereby certify that the above is a true and correct copy of the Order as approved.

Brenda A. Howe
Brenda A. Howe
Secretary to the Commission

STATE OF INDIANA



INDIANA UTILITY REGULATORY COMMISSION
101 W. WASHINGTON STREET, SUITE 1500E
INDIANAPOLIS, INDIANA 46204-3407

<http://www.in.gov/iurc>
Office: (317) 232-2701
Facsimile: (317) 232-6758

TO: Chairman James D. Atterholt
Commissioners Ziegner, Landis, Mays, and Bennett

FROM: DeAnna Poon, Assistant General Counsel and Legal Counsel to the Underground
Plant Protection Advisory Committee

DATE: September 21, 2012

RE: Underground Plant Protection Advisory Committee Case Recommendations for
Conference on ***Wednesday, September 26, 2012 @ 2:00 P.M local time.***

The attached case recommendations have been submitted to the Commission. Via Certified Mail, the Commission's Pipeline Safety Division sent an information request to the parties to the incident soliciting a written account of the facts and circumstances surrounding the incident. After receiving proof of delivery and waiting at least thirty (30) days for the receipt of any documents from the parties, the Division investigated the case. Pursuant to IC 8-1-26-23(g), the Division found that a violation of IC 8-1-26 occurred. After public notice in conformance with IC 5-4-1.5-5, during a Public Meeting where the party had the opportunity to appear, the Underground Plant Protection Advisory Committee reviewed the Division's determination and made recommendations in the cases under IC 8-1-26-23(h). The parties were notified of the Committee's recommendations and given the opportunity to seek a public hearing pursuant to IC 8-1-26-23(k). These recommendations are now submitted for the Commission's consideration at Conference on **September 21, 2012 at 2:00 pm. local time.** Staff believes legal requirements under IC 8-1-26, the Damages to Underground Facilities Act, were met and recommends approval for all the recommendations of the attached cases. The Commission has the authority under IC 8-1-1-5(d) to make a determination in these matters.

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator William E. Settle

Operator Vectren

Case No. 15 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) Violation No Violation
- 2. ~~8-1-26-18(f)~~ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. ~~warning letter~~
- 3. _____

Additional Information:

22 day old locate

Blaine Walters
Rick Slagle abstaining from participation.

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Steiner Trenching & Repair

Operator NIPSCO

Case No. 577 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

- | | | |
|---------------------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g) fail to notice</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. <u>8-1-26-18(f) fail to locate</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter - Steiner
- warning letter - NIPSCO
- _____

Additional Information: Damage occurred on 21st day.

NIPSCO admitted marking incorrectly.

NIPSCO is now using different contractor.

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Excavator Valenti-Held Contractor

Operator Nectren

Case No. 581 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

1. 8-1-26-16(g) fail notice Violation No Violation
2. 8-1-26-20(b) fail 2 ft clear Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. warning letter
2. warning letter
3. _____

Additional Information:

28 days after notice.

Rick Slagel abstaining.

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Kempler Construction

Operator Ind. Natural Gas

Case No. 1521 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Fleenor & Fleenor Excavating

Operator Midwest Natural Gas Co.

Case No. 1522 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

- | | |
|------------------------|-------------------------------|
| 1. <u>8-1-26-16(g)</u> | <u>Violation</u> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Excavator 1530 Ranards Hauling & Removal

Operator Midwest Natural Gas

Case No. 1530 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

- | | | |
|-----------------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Greg Cantrell

Operator Midwest Natural Gas

Case No. 1533 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) notice of excavation Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Siling & Co, L.L.C.

Operator Midwest Natural Gas

Case No. 1535 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

1. 8-1-26-16(a) notice of excavate Violation No Violation
2. 8-1-26-20(b) 2 ft+ clearance Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. dismiss
2. warning letter.
3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Mark Gaither

Operator Ind. Utilities Corp

Case No. 1544 Date of Advisory Meeting 12/13/11

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter.
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Gariup Construction

Operator NIPSCO

Case No. 18 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|-----------------------------------|---|---|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. <u>8-1-26-20(b)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Excavator Yoder Construction

Operator Jasonville Gas Utility

Case No. 26 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: [Signature]
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Roger Mills

Operator Midwest Natural Gas

Case No. 45 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: [Signature]
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator James Vickers

Operator Indiana Utilities Corp

Case No. 74 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator James Spencer

Operator Midwest Natural Gas Corp

Case No. 77 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- 1. 8-1-26-16(a) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Kneller Excavating

Operator NIPSCO

Case No. 764 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Bincon Construction

Operator UIASCO

Case No. 843 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

1. 8-1-26-16(g) Violation No Violation
2. 8-1-26-20(b) Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

Advisory Board Approval: RS
(Initials of Chairman)

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Excavator Jyamco Construction

Operator NIPSCO

Case No. 898 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|-----------------------------------|---|---------------------------------------|
| 1. <u>8-1-26-1b(g)</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. <u>8-1-26-20(b)</u> | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Crossroads Services

Operator NIPSCO

Case No. 1157 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Gary Material Supply

Operator NIPSCO

Case No. ~~1374~~ 1374 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Excavator Mehring Plumbing

Operator Jasper Muni Gas

Case No. 1540 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- 1. 8-1-26 -16(g) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator City of Rising Sun

Operator Sycamore Gas Co

Case No. 1550 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | |
|--------------------------|
| 1. <u>Warning Letter</u> |
| 2. _____ |
| 3. _____ |

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Ron Stony

Operator Midwest Natural Gas

Case No. 1556 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-20(b)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory
Committee Recommendation to IURC

Excavator Leninger Excavating

Operator NIPSCO

Case No. 1892 Date of Advisory Meeting 1/24/12

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Billy Joe Bebout** Operator: **Vectren**

Case No.: **27**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains.

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Quinton Stark** Operator: **Indiana Natural Gas Co**

Case No.: **29**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | | |
|----|-----------------------|-------|
| 1. | <u>Warning letter</u> | _____ |
| 2. | _____ | _____ |
| 3. | _____ | _____ |

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Jw McDowell** Operator: **Midwest Natural Gas Corp**

Case No.: **32**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|---|---------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. | _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. | _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Kerstiens Homes & Design** Operator: **Huntingburg Municipal**

Case No.: **34**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

Advisory Board Approval: km
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Watts Brothers** Operator: **Vectren**

Case No.: **37**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Sedam Contracting**

Operator: **Midwest Natural Gas Co**

Case No.: **40**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Pleasure Pools** Operator: **Indiana Natural Gas Co**

Case No.: **48**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>5-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | | |
|----|-----------------------|-------|
| 1. | <u>Warning letter</u> | _____ |
| 2. | _____ | _____ |
| 3. | _____ | _____ |

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Joe Luhring**

Operator: **Batesville Water & Gas**

Case No.: **54**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|---|---------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

Advisory Board Approval: AM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Fleetwood Excavating**

Operator: **Indiana Natural Gas Co**

Case No.: **66**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(a)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Alfred Bowers** Operator: **Midwest Natural Gas Corp**

Case No.: **67**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

Advisory Board Approval:
(Initials of Chairman)

RM

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **C&f Industries, Inc**

Operator: **Ohio Valley Gas Corp**

Case No.: **73**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|---|---------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. | _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. | _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

- | | | |
|----|-----------------------|-------|
| 1. | <u>warning letter</u> | _____ |
| 2. | _____ | _____ |
| 3. | _____ | _____ |

Additional Information: _____

Advisory Board Approval: AM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Clint Guthrie** Operator: **Midwest Natural Gas Corp**

Case No.: **75**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | |
|------------------------|-------------------------------|
| 1. <u>8-1-26-16(g)</u> | <u>Violation</u> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

Advisory Board Approval: CM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Jay Troy's Sewer & Septic Tank Service**

Operator: **Vec**

Case No.: **361**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: Slagle abstains.

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Custom Fence Company** Operator: **NIPSCO**

Case No.: **363**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. warning letter _____
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Brads-Ko Engineering and Surveying, Inc.** Operator: **NIF**

Case No.: **437**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: AM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Ed Graber**

Operator: **NIPSCO**

Case No.: **481**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Holland Engineering**

Operator: **NIPSCO**

Case No.: **490**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-1(dg)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|----|-----------------------|
| 1. | <u>warning letter</u> |
| 2. | _____ |
| 3. | _____ |

Additional Information: _____

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Maxwell Construction**

Operator: **Aurora Utilities**

Case No.: **492**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Green Landscaping**

Operator: **NIPSCO**

Case No.: **526**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Reliable Excavation**

Operator: **NIPSCO**

Case No.: **534**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|----|-----------------------|
| 1. | <u>warning letter</u> |
| 2. | _____ |
| 3. | _____ |

Additional Information: Update contact info to excavator - Lon Stackhouse

Advisory Board Approval: AM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Spectra Tech** Operator: **Vectren**

Case No.: **748**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|---|---------------------------------------|
| 1. | <u>8-1-26-20(b)</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. | _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. | _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains.

* Emphasize mechanized digging in warning letter. *

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Ely Concrete** Operator: **Vectren**

Case No.: **815**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- Warning letter
- _____
- _____

Additional Information: Stagle abstains.

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Fisher Land Surveying Services, Inc.**

Operator: **NIF**

Case No.: **1020**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **US Sign Crafters** Operator: **NIPSCO**

Case No.: **1098**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

Advisory Board Approval: AM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Anderson Construction**

Operator:

Vectren

Case No.: **1119**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | | |
|----|-----------------------|-------|
| 1. | <u>Warning letter</u> | _____ |
| 2. | _____ | _____ |
| 3. | _____ | _____ |

Additional Information: Slagle abstains.

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Hollenbaugh Well Drilling Inc**

Operator: **NIF**

Case No.: **1176**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|-----------|---|
| 1. <u>8-1-26-20(b)</u> | Violation | <input checked="" type="radio"/> No Violation |
| 2. _____ | Violation | <input type="radio"/> No Violation |
| 3. _____ | Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- _____
- _____
- _____

Additional Information: _____

Advisory Board Approval: AM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Chris Bowman** Operator: **NIPSCO**

Case No.: **1204**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>5-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Raber Patio Enclosures, LLC**

Operator: **NIH**

Case No.: **1251**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- 1. 8-1-26-16(g) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. warning letter
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Norco Industries** Operator: **NIPSCO**

Case No.: **1377**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Joe Graber Jr Construction** Operator: **Midwest Natural Gas Co**

Case No.: **1557**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|---|---------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: EM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Traylor Construction**

Operator: **Huntingburg Municipal**

Case No.: **1563**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|---|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. <u>8-1-26-20(b)</u> | <input type="radio"/> Violation | <input checked="" type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Michael D Cahill** Operator: **Midwest Natural Gas Corp**

Case No.: **1577**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **MCF Construction**

Operator:

Vectren

Case No.: **1578**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-16(a)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: Slagle abstains

Advisory Board Approval: AM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Dan Dickman** Operator: **Batesville Water & Gas**

Case No.: **1603**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | <u>8-1-26-25(b)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | | |
|----|-----------------------|-------|
| 1. | <u>warning letter</u> | _____ |
| 2. | _____ | _____ |
| 3. | _____ | _____ |

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Buschkoetter's Nursery-Lawn & Garden Center** Operator: **Jas]**

Case No.: **1613**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|------------------------------------|
| 1. | <u>8-1-26-16(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | | |
|----|-----------------------|-------|
| 1. | <u>Warning letter</u> | _____ |
| 2. | _____ | _____ |
| 3. | _____ | _____ |

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Pro Lawn Care And Landscaping**

Operator: **Vec**

Case No.: **1654**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|---|
| 1. | <u>8-1-26-16(a)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. | <u>8-1-26-20(b)</u> | <input type="radio"/> Violation | <input checked="" type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: Slagle abstains

Advisory Board Approval: DN
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Lan-Con Electrical**

Operator: **NIPSCO**

Case No.: **1716**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | | |
|----|---------------------|--|---|
| 1. | <u>8-1-26-1(b)</u> | <input checked="" type="radio"/> Violation | <input checked="" type="radio"/> No Violation |
| 2. | <u>8-1-26-20(b)</u> | <input type="radio"/> Violation | <input checked="" type="radio"/> No Violation |
| 3. | _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- warning letter
- _____
- _____

Additional Information: _____

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Tate Concrete** Operator: **Vectren**

Case No.: **1729**

Date of Advisory Meeting: **February 28, 2012**

Statutes Allegedly Violated:

- | | | |
|------------------------|--|------------------------------------|
| 1. <u>8-1-26-11(g)</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains

Advisory Board Approval: DM
(Initials of Chairman)

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Richard Sparks** Operator: **Midwest Natural Gas Corp.**

Case No.: **38**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Kenneth L Pershon** Operator: **Ind. Natural Gas Corp.**

Case No.: **53**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>Warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Mike Pope** Operator: **Ind. Natural Gas Corp.**

Case No.: **56**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

APPROVED: RS
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Custom Fencing** Operator: **NIPSCO**

Case No.: **353**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Frontier Communications** Operator: **NIPSCO**

Case No.: **377**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Niezdowski Plumbing** Operator: **NIPSCO**

Case No.: **409**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Concrete Tech** Operator: **Vectren**

Case No.: **429**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Atlas Excavating** Operator: **Vectren**

Case No.: **913**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Precision Utilities Group Inc** Operator: **Vectren**

Case No.: **932**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains.

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Cypher Logic** Operator: **NIPSCO**

Case No.: **996**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>Warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Blazer Farms** Operator: **NIPSCO**

Case No.: **1087**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Circle R Electric** Operator: **NIPSCO**

Case No.: **1092**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>Warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Poindexter Excavating** Operator: **Vectren**

Case No.: **1158**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. <u>IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Calumet Civil Contractors** Operator: **Vectren**

Case No.: **1165**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. ~~B~~ ~~A~~ warning letter
2. _____
3. _____

Additional Information: Slagle abstains

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Pinpoint Directional Drilling, Inc.** Operator: **NIPSCO**

Case No.: **1174**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Calumet Civil Contractors** Operator: **Vectren**

Case No.: **1247**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | |
|--|-------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <u>Violation</u> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Slagle distance
2. _____
3. warning letter

Additional Information: Slagle abstains

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Lineal Contracting** Operator: **Vectren**

Case No.: **1252**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|----------|-----------------------|
| 1. _____ | <i>warning letter</i> |
| 2. _____ | |
| 3. _____ | |

Additional Information: _____

APPROVED: *DM*
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Sunesis Construction** Operator: **Vectren**

Case No.: **1273**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>Warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Glidden Fence** Operator: **Vectren**

Case No.: **1297**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **A+ Plumbing Heating Cooling Inc.**
NIPSCO

Operator:

Case No.: **1325**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|----------|-----------------------|
| 1. _____ | <i>Warning letter</i> |
| 2. _____ | |
| 3. _____ | |

Additional Information: _____

APPROVED: *RS*
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Electricom, Inc.** Operator: **Vectren**

Case No.: **1341**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Infrastructure Systems, Inc** Operator: **Ind. Natural Gas Corp.**

Case No.: **1497**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | |
|--|-------------------------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <u>Violation</u> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>Warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Mitchell & Stark Construction** Operator: **Midwest Natural Gas Corp.**

Case No.: **1549**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|------------------|--------------|
| 1. <u>IC 8-1-26-16-(g) - Failure to provide notice of excavation</u> | <u>Violation</u> | No Violation |
| 2. _____ | Violation | No Violation |
| 3. _____ | Violation | No Violation |

Recommended Penalty:

- | | |
|--------------------------|-------|
| 1. <u>Warning letter</u> | _____ |
| 2. _____ | _____ |
| 3. _____ | _____ |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Jeremy Mccracken** Operator: **Ind. Natural Gas Corp.**

Case No.: **1559**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. warning letter _____
- 2. _____
- 3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Temple & Temple Excavating
Natural Gas Corp.**

Operator: **Midwest**

Case No.: **1561**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

- | | |
|----------|-----------------------|
| 1. _____ | <i>Warning letter</i> |
| 2. _____ | |
| 3. _____ | |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Johannigman Excavating** Operator: **Vectren**

Case No.: **1804**

Date of Advisory Meeting: **March 27, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. IC 8-1-26-16-(g) - Failure to provide notice of excavation | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

- | |
|--------------------------|
| 1. <u>Warning letter</u> |
| 2. _____ |
| 3. _____ |

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Oles Engineering Corporation** Operator: **Citizens Gas**

Case No.: **17**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Warren abstains.

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Fox Contractors** Operator: **NIPSCO**

Case No.: **60**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-18(f): Mislocate or failure to locate | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Phil Mellady** Operator: **Vectren**

Case No.: **329**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | |
|--|---|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation <input type="radio"/> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: ~~Slagle~~ Slagle abstains.

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **H.R.P Construction**

Operator: **NIPSCO**

Case No.: **371**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-18(f): Mislocate or failure to locate | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Ed Filley**

Operator: **NIPSCO**

Case No.: **381**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **City of Decatur Water Utility**

Operator: **NIPSCO**

Case No.: **383**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-18(f): Mislocate or failure to locate**

Violation No Violation

2. _____

Violation No Violation

3. _____

Violation No Violation

Recommended Penalty:

1. warning letter

2. _____

3. _____

Additional Information:

APPROVED:



(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Brian Crosswaithe**

Operator: **NIPSCO**

Case No.: **396**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **A and B Boring Inc**

Operator: **NIPSCO**

Case No.: **420**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment**

Violation No Violation

2. _____

Violation No Violation

3. _____

Violation No Violation

Recommended Penalty:

1. Warning letter

2. _____

3. _____

Additional Information: _____

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Dave Murphy Landscape** Operator: **NIPSCO**

Case No.: **462**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | |
|--|---|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation <input type="radio"/> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Rufus H Smith Inc**

Operator: **NIPSCO**

Case No.: **466**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Austgen Equipment Incorporated** Operator: **NIPSCO**

Case No.: **469**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment**

Violation No Violation

2. _____

Violation No Violation

3. _____

Violation No Violation

Recommended Penalty:

1. Warning letter

2. _____

3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Miller Contracting Group** Operator: **NIPSCO**

Case No.: **512**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Buttz Excavating, Inc**

Operator: **Vectren**

Case No.: **787**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment**

Violation No Violation

2. _____

Violation No Violation

3. _____

Violation No Violation


Recommended Penalty:

1. Warning letter

2. _____

3. _____

Additional Information: Slagle abstains.

APPROVED: 

(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Fuller Communications**

Operator: **NIPSCO**

Case No.: **806**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-18(f): Mislocate or failure to locate**

Violation No Violation

2. _____

Violation No Violation

3. _____

Violation No Violation

Recommended Penalty:

1. Warning letter

2. _____

3. _____

Additional Information: _____

APPROVED:



(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **City Lights & Signals**

Operator: **NIPSCO**

Case No.: **857**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | |
|--|---|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation <input type="radio"/> No Violation |
| 2. _____ | Violation <input type="radio"/> No Violation <input type="radio"/> |
| 3. _____ | Violation <input type="radio"/> No Violation <input type="radio"/> |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Ron Jones**

Operator: **Vectren**

Case No.: **859**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-16(g): Failure to provide notice of excavation**

Violation No Violation

2. _____

Violation No Violation

3. _____

Violation No Violation

Recommended Penalty:

1. Warning letter

2. _____

3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Midwest Underground**

Operator: **Vectren**

Case No.: **893**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-18(f): Mislocate or failure to locate | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Walters (USIC) and Slagle
abstain.

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Zinia Coleman** Operator: **NIPSCO**

Case No.: **1038**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter.
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Thomas Boyd** Operator: **NIPSCO**

Case No.: **1063**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | |
|--|---|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation <input type="radio"/> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Warning letter.
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **KDS Excavating** Operator: **NIPSCO**

Case No.: **1079**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **de Boer Egolf Corp**

Operator: **NIPSCO**

Case No.: **1133**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **City of Elkhart** Operator: **NIPSCO**

Case No.: **1143**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Jamie Gomeztagle** Operator: **NIPSCO**

Case No.: **1146**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Robert Kocher** Operator: **NIPSCO**

Case No.: **1153**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **York Construction**

Operator: **Vectren**

Case No.: **1180**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-16(g): Failure to provide notice of excavation**

Violation No Violation

2. _____

Violation No Violation

3. _____

Violation No Violation

Recommended Penalty:

1. Warning letter

2. _____

3. _____

Additional Information: Slagle abstains

APPROVED: 

(initialed)

Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Terry Minix** Operator: **NIPSCO**

Case No.: **1319**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | |
|--|---|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation <input type="radio"/> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Mike Fedornock** Operator: **NIPSCO**

Case No.: **1323**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **City of Jasper** Operator: **Jasper Municipal Gas**

Case No.: **1524**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Guthrie Development Group** Operator: **Midwest Natural Gas Corp**

Case No.: **1532**

Date of Advisory Meeting: **May 30, 2012**


Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Charles Chanley Jr** Operator: **Indiana Natural Gas Corp**

Case No.: **1571**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **City of Jasper** Operator: **Jasper Municipal Gas**

Case No.: **1596**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-18(f): Mislocate or failure to locate | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Frontier Communications** Operator: **NIPSCO**

Case No.: **1733**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **City of Elkhart** Operator: **NIPSCO**

Case No.: **1740**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Michael Hochstetler**

Operator: **NIPSCO**

Case No.: **1772**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) **Rick Slagle**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Jim Griffy**

Operator: **NIPSCO**

Case No.: **1871**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Mystic Hills Golf Course** Operator: **NIPSCO**

Case No.: **1929**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Brienne Meehan** Operator: **NIPSCO**

Case No.: **1954**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Austgen Equipment Incorporated** Operator: **NIPSCO**

Case No.: **2005**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | |
|--|---|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation <input type="radio"/> No Violation |
| 2. _____ | Violation <input type="radio"/> No Violation <input type="radio"/> |
| 3. _____ | Violation <input type="radio"/> No Violation <input type="radio"/> |

Recommended Penalty:

1. Training program
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Matt Whitaker Contracting** Operator: **Vectren**

Case No.: **2135**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Brett Lambert** Operator: **NIPSCO**

Case No.: **2163**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **AC Campbell** Operator: **Midwest Natural Gas Corp**

Case No.: **2219**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Kelly Robbins** Operator: **Midwest Natural Gas Corp**

Case No.: **2248**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
 Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **de Boer Egolf Corp**

Operator: **NIPSCO**

Case No.: **2425**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | |
|--|-------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <u>Violation</u> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Training program
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Dismissed

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator: **Harvey Construction**

Operator: **Vectren**

Case No.: **977**

Date of Advisory Meeting: **May 30, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-18(f): Mislocate or failure to locate | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 

(initialed) **Rick Slagle**

Chairman