

ORIGINAL

STATE OF INDIANA

INDIANA UTILITY REGULATORY COMMISSION

IN THE MATTER OF AN ORDER)
APPROVING ADVISORY COMMITTEE)
RECOMMENDATIONS PURSUANT TO)
INDIANA CODE CHAPTER 8-1-26.)

APPROVED: DEC 12 2012

ORDER OF THE COMMISSION

Indiana Code chapter 8-1-26 provides the procedure for the Indiana Utility Regulatory Commission's Pipeline Safety Division ("Division") to find violations of said chapter. Upon review of those findings, the Indiana Underground Plant Protection Advisory Committee ("Advisory Committee") reviews those recommendations and recommends civil penalties in the Case.

The Cases received pursuant to Indiana Code chapter 8-1-26 and ripe for Commission action are attached hereto and collectively referred to as the Advisory Committee Recommendations.

Pursuant to statute, the Advisory Committee has submitted their recommendations to the Commission. The Commission hereby UPHOLDS the findings of violations by the Pipeline Safety Division and APPROVES the recommendations of the Advisory Committee as listed on the attached pages. The Assistant General Counsel to the Division is hereby directed to prepare and send notice to the parties advising them of the determination.

IT IS SO ORDERED.

ATTERHOLT, LANDIS AND ZIEGNER CONCUR; BENNETT AND MAYS ABSENT:

APPROVED: DEC 12 2012

I hereby certify that the above is a true and correct copy of the Order as approved.

Brenda A. Howe
Secretary to the Commission

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Hittle Landscaping**
Other Party: **Citizens Gas**
Case No.: **3048**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
2. _____ Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Warren abstains.

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Richard E Contos**
Other Party: **Citizens Gas**
Case No.: **3061**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | |
|---|-------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <u>Violation</u> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Warning letter.
2. _____
3. _____

Additional Information: Warren abstains.

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **ADA Station Communication**
Other Party: **NIPSCO**
Case No.: **3097**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **MR Rooter Plumbing**
Other Party: **NIPSCO**
Case No.: **3132**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Vectren**
Other Party: **Chris Bustamonte**
Case No.: **3140**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-18(f): Failure to properly locate facilities | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains. Walters abstains.

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Excavator Riccis Landscape Management

Operator NIPSCO

Case No. 3143 Date of Advisory Meeting 10/23/12

Statutes Allegedly Violated:

- 1. IC 8-1-26-20(b) Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

Advisory Board Approval: 
(Initials of Chairman) Rick Slagle

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wissco Irrigation**
Other Party: **NIPSCO**
Case No.: **3154**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dig Excavating**
Other Party: **NIPSCO**
Case No.: **3157**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|---|---------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Roger Greeson**
Other Party: **NIPSCO**
Case No.: **3184**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- 1. **IC 8-1-26-16(g): Failure to provide notice of excavation** Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. warning letter _____
- 2. _____
- 3. _____

Additional Information: _____

APPROVED: 
(initialed) **Rick Slagle**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **City of Valparaiso Sewer Department**
Other Party: **NIPSCO**
Case No.: **3203**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
2. _____ Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Warning letter _____
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Sean T Harrold**
Other Party: **Citizens Gas**
Case No.: **3218**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Warren abstains.

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Harold Lockart**
Other Party: **Vectren**
Case No.: **3253**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains.

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town of Fishers**
Other Party: **Vectren**
Case No.: **3256**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | |
|---|-------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <u>Violation</u> No Violation |
| 2. _____ | Violation No Violation |
| 3. _____ | Violation No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains.

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Village Green Mobile Home Park**
Other Party: **NIPSCO**
Case No.: **3270**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: RS
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **P M G Landscaping and Irrigation**
Other Party: **Vectren**
Case No.: **3277**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains.

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Donald Summar**
Other Party: **NIPSCO**
Case No.: **3282**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: RS
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **McDougalle Contracting**
Other Party: **Citizens Gas**
Case No.: **3285**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- 1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter _____
- 2. _____
- 3. _____

Additional Information: Warren abstains.

APPROVED: 
(initialed) _____
Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **E & J Concrete**
Other Party: **Citizens Gas**
Case No.: **3320**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Warren abstains.

APPROVED: RS
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Virginia Brinkman**
Other Party: **Citizens Gas**
Case No.: **3321**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|--|---|---------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Warning Letter
2. _____
3. _____

Additional Information: Warren abstains.

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **CT Partnership d/b/a Living Water Irrigation**
Other Party: **Indiana Natural Gas Corporation**
Case No.: **3322**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | |
|--|---|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation <input type="radio"/> No Violation |
| 2. _____ | Violation <input type="radio"/> No Violation <input type="radio"/> |
| 3. _____ | Violation <input type="radio"/> No Violation <input type="radio"/> |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Pape Builders**
Other Party: **NIPSCO**
Case No.: **3331**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: RS
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Zimmerman Brothers Excavating**
Other Party: **NIPSCO**
Case No.: **3334**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- 1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gohman Asphalt & Construction Inc.**
Other Party: **Midwest Natural Gas Corporation**
Case No.: **3336**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
2. W Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: RS
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Dave's Excavating**
Other Party: **Vectren**
Case No.: **3344**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- 1. IC 8-1-26-16(g): Failure to provide notice of excavation Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter
- 2. _____
- 3. _____

Additional Information: Slagle abstains.

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Seniour Construction**
Other Party: **Vectren**
Case No.: **3354**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
2. _____ Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: Slagle abstains.

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Wisel Enterprises LLC**
Other Party: **NIPSCO**
Case No.: **3367**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Town of Brookville**
Other Party: **Sycamore Gas Company**
Case No.: **3633**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-16(g): Failure to provide notice of excavation | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. warning letter
2. _____
3. _____

Additional Information: _____

APPROVED: RS
(initialed) **Rick Slagle**
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Northern Indiana Mechanical**
Other Party: **NIPSCO**
Case No.: **3658**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- 1. **IC 8-1-26-16(g): Failure to provide notice of excavation** Violation No Violation
- 2. _____ Violation No Violation
- 3. _____ Violation No Violation

Recommended Penalty:

- 1. Warning letter _____
- 2. _____
- 3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Selge Construction Company, Inc.**
Other Party: **NIPSCO**
Case No.: **3131**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|--|------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Training
2. _____
3. _____

Additional Information: Opposed - Dapp

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Kerstiens Homes & Design**
Other Party: **Huntingburg Municipal Utilities**
Case No.: **3220**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
2. _____ Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Training
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Reith-Riley**
Other Party: **Vectren**
Case No.: **3267**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|---|---------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Training
2. _____
3. _____

Additional Information: Slagle abstains.

APPROVED: DM
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Lineal Contracting**
Other Party: **Vectren**
Case No.: **3298**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|--|--|------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="radio"/> Violation | <input type="radio"/> No Violation |
| 2. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |
| 3. _____ | <input type="radio"/> Violation | <input type="radio"/> No Violation |

Recommended Penalty:

1. Training
2. _____
3. _____

Additional Information: Slagle abstains.

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Midwestern Electric**
Other Party: **NIPSCO**
Case No.: **3303**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
2. _____ Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Training _____
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Custom Concrete**
Other Party: **Vectren**
Case No.: **3352**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

1. **IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment** Violation No Violation
2. _____ Violation No Violation
3. _____ Violation No Violation

Recommended Penalty:

1. Training _____
2. _____
3. _____

Additional Information: Slagle abstains. _____

APPROVED: 
(initialed) Dan Meiners
Vice Chairman

Indiana Underground Plant Protection Advisory Committee Recommendation to IURC

Respondent: **Gariup Construction Company, Inc.**
Other Party: **NIPSCO**
Case No.: **3276**
Date of Advisory Meeting: **October 23, 2012**

Statutes Allegedly Violated:

- | | | |
|---|---|---------------------------------------|
| 1. IC 8-1-26-20(b): Failure to maintain two (2) feet clearance with mechanized equipment | <input checked="" type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 2. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |
| 3. _____ | <input type="checkbox"/> Violation | <input type="checkbox"/> No Violation |

Recommended Penalty:

1. Training
2. _____
3. _____

Additional Information: _____

APPROVED: 
(initialed) Rick Slagle
Chairman